

# *Gas / petrol engine drive airless sprayer*



● **Gasoline  
Airless Sprayer**

**New series of Gasoline +  
Piston pumps**

Meet request of most professional contractors who want to get piston pump for High Viscosity coating on the new building / new construction job site. Equipped with reliable famous LONCIN engine for ensure you the plenty of power for your heavy jobs.



**Cart with pneumatic tire**

Attached with pneumatic tire, this portable gasoline airless sprayer could go anywhere the job demands and sprays a variety of coatings.

Applicable for Latex & acrylic paints, primers, enamels & elastomerics, blockfillers and drywall mud.

**DP-6331G**

Model No.	DP-6331G
Type	gasoline + Piston pump
Engine power	5.5HP
Max. pumping capacity	4.0L/min (0.88GPM)
Max. nozzle size	0.031"
Max. pressure	210bar / 3045psi



**EZ pressure control system** delivers a consistent spray fan without pressure fluctuations at all spraying pressures.



**The Enhanced Fluid Pump Design.** The low suction valve will be suitable for the high viscosity material.

**DP-7900** (Engine Power) **8.3L** Max.0.048"  
**DP-7900E** (Electric Power) **8.0L** Max.0.047"

- **Adjustable pressure** control 0-3650psi / 250bar.
- Powered by 6.5hp 0-3300psi/227bar
- **Telescoping handle** with hose wrap, Quick easy maneuverability.
- **Pneumatic tires** for easy transportation on rugged construction job-site.
- Could be used for indoor / outdoor panting, acrylics, enamels, latex, primer, floor painting, fire-proofing etc. From medium to high viscosity.

**DP-7900 TX**



Model No.	DP-7900	DP-7900E(Electric)	DP-7900TX
Suction system	normal	normal	low suction
Engine power	6.5HP 4875W	4.0HP 3000W	6.5HP 4875W
Max. pumping capacity	8.3L/min (2.19GPM)	8.0L/min (2.19GPM)	8.3L/min (2.19GPM)
Max. nozzle size	0.048"	0.047"	0.048"
Max. pressure	227bar / 3300psi	227bar / 3300psi	227bar / 3300psi
Guns support	"1gun 0.048" "2guns 0.035" "3guns 0.027" "4guns 0.023"	"1gun 0.047" "2guns 0.033" "3guns 0.025" "4guns 0.021"	"1gun 0.048" "2guns 0.035" "3guns 0.027" "4guns 0.023"

### The telescopic handle

The adjustable height telescopic handle makes for convenient transport on the building site or in the car.

### The Practical Swing cart

It is possible to swing up the pump: when working from a bucket or a container but also for transport.

### Easy processing

The machine can be safely decompression and quickly cleaned in a simple Operation.



DP-9600

### The pneumatic tyre

Large size allow easy and convenient transport even on difficult sites.

### Multiple Choice

380 V electric drive or independent of mains electricity with the Honda petrol Engine are optional



DP-9600E



DP-9800E

Direct-Connected Motor

Model No.	DP-9600	DP-9600E	DP-9800E
Driven	Gasoline + hydraulic	Electric + hydraulic	Electric + hydraulic
Engine power	9.0HP 6700W	7.5HP 5500W	5.0HP 3750W
Max. pumping capacity	12.0L/min (3.17GPM)	10.0L/min (2.64GPM)	12.0L/min (3.17GPM)
Max. tip size	0.056"	0.049"	0.056"
Max. pressure	228bar / 3300psi	228bar / 3300psi	228bar / 3300psi
Max. hose length	90m / 295ft	90m / 295ft	90m / 295ft

### Heavy-strength Frame

Easy-roll tubed pneumatic tires  
 Enamel painted steel tubing –corrosion protection  
 Multi-function design converts to skid mount in seconds



### Honda Engine Or Diesel motor

13 HP Honda engine with integrated fuel tank to deliver maximum performance  
 Contractor preferred engine with Oil Alert  
 Back-up Pull Start  
 High-capacity, 12 Volt 18 Amp Charging System

### High-Efficiency Cooling System

Large 15L hydraulic reservoir  
 Return line hydraulic filter extends life  
 No special hydraulic fluid needed  
 Quality assured cooler and blower system  
 Easy to use drain plug

DP-GH6833

### Long life Fluid Pump

Proven design and performance  
 Long life rod and sleeve delivers unmatched durability and life  
 Easy Change Pump System and quick Intake Valve eliminates downtime

### Heavy-Duty Hydraulic System

Faster, more responsive changeover O-ring sealed to eliminate leaks  
 High-precision pressure control  
 No hydraulic reset button needed  
 Durable hydraulic lines for long life



DP-GH6300

Model No.	DP-GH6300	DP-GH6833
Engine power	9HP 6750W	13HP 9750W
Max. pumping capacity	11.4L/min (3GPM)	18L/min (4.76GPM)
Max. tip size	0.057"	0.065"
Max. pressure	227bar / 3300psi	275bar / 4000psi
Max. hose length	90m / 295ft	90m / 295ft
Gun support	one gun 0.057" two guns 0.039" three guns 0.033" four guns 0.029" five guns 0.025" six guns 0.023"	one gun 0.065" two guns 0.046" three guns 0.037" four guns 0.032" five guns 0.029" six guns 0.026"